



Digwoods Plate Link Belts



DIGWOODS



Steel Plate Link Belts

About Digwoods



- ISO9001 Registered company established over 30 years
- Manufacturing sites in Shropshire and Merseyside
- Services include Design, Manufacture, Installation, Repair and Refurbishment
- Industries supplied include Food Processing, Automotive, Die Casting and Recycling

Applications

- Die Casting
- Presswork
- Low Temperature Ovens
- Swarf Removal
- Cooling Conveyors
- Forging
- Recycling
- Elevators


Features

- 1.5mm – 6mm Thick
- Side Chains for Positive Drive
- Pitch – 1.25" – 9"
- Temperature range 0°C to +200°C
- Materials – Plain Mild Steel, Plated Mild Steel and Stainless Steel (up to 3mm thick)





General Dimensional Data

for full data consult
Technical Department



Description	Pitch P	Chain	Roller Dia. A	Rod dia B	Chain Width D
Light Duty 1.6 or 2 mm thick	1.25"	3000 lb Loose Link	25.4 (1")	1/4" or 3/8"	25.4 (1")
	1.5" 2" 3"	4500 lb Hollow Bearing	25.4 (1")	1/4"	25.4 (1")
Medium Duty 3 mm thick	1.5" 2" 3" 4"	3000 lb Loose Link	25.4 (1")	3/8"	25.4 (1")
		6000 lb Hollow Bearing	31.75(1.1/4")	3/8"	38 (1.1/2")
Heavy Duty 6 mm thick	3" 4" 6" 8" 9"	12000 lb Hollow Bearing	47.62(1.7/8")	1/2"	45 (1.3/4")
		24000 lb Hollow Bearing	66.67(2.5/8")	3/4"	57 (2.1/4")

Product Range Includes:
Plate Link
Woven Wire Mesh
Honeycomb
Plastic Modular
Bespoke Conveyor Design
Stainless Steel & Aluminium Fabrications



Digwoods Limited
Alveley Bridgnorth
Shropshire WV15 6HG
Telephone: +44 (0) 1746 780468
Facsimile: +44 (0) 1746 780371
E-mail: sales@digwood.com
Website: www.digwood.com